

2M LAURICHEM



02051: HA Aqua Bomb Sleep Mask featuring CLR Multimoist and Chemyunion AquaBio.

INGREDIENT	INCI NAME	SUPPLIER	%W/W
PHASE A			
Di Water	Aqua, Water	Manufacturer	83.50%
Zemea	Propanediol	Dupont, Tate & Lyle	5.00%
Butylene Glycol	Butylene Glycol	Choice	1.00%
Gluconolactone SB	Gluconolactone (and) Sodium Benzoate (and) Calcium Gluconate	Making Cosmetics	1.30%
Phase B			
Hyaluronic Acid MMW	Sodium Hyaluronate	Making Cosmetics	3.00%
Sepimax ZEN	Polyacrylate Crosspolymer-6	Seppic	1.50%
Phase C			
Multimoist CLR	Fructooligosaccharides (and) Beta Vulgaris (Beet) Root Extract (and) Water	2M Laurichem / Chemyunion	1.50%
AquaBio	Water (and) Glycerin (and) Anadenanthera Colubrina Bark Extract	2M Laurichem / Chemyunion	3.00%
Blue #1 Color 0.1% w/w	FD&C Blue No. 1 (CI 42090)	Sun Chemicals	0.20%
	TOTAL		100%

PROCEDURE

1. Weigh PHASE A add the Water. In order add the remaining PHASE A materials. Mix until mixture is clear and free of any particulate.
2. Add PHASE B ingredients under mixing by using a dispersing blade increasing the speed, as necessary.
3. Continue mixing until Phase B is properly swelled and uniformed.
4. Add PHASE C ingredients and continue mixing until the batch is homogenous.